



**LEGEND SAR**

50TH ANNIVERSARY EDITION

## Customer Truck Purchase Order

**Customer** (the Purchaser)  
**HEPBURN FOOTBALL CLUB**  
20TH STREET

HEPBURN SPRINGS 3461

Pricing Period Sep 1, 2021  
Truck Model **W900SAR**  
Tare Weight (excluding fuel) 9,552kg  
Quantity **1**  
Truck Price exc. GST \$363,864.03  
Net Price exc. GST & Taxes 363,864.03  
GST 36,386.40  
Registration (Type : ) 12,834.38  
On Road Costs 0.00  
**Net Price inc. GST & Taxes \$413,085**

**Dealer** (the Vendor)  
**KENWORTH MELBOURNE**  
355 Fitzgerald Road

Derrimut 3028

Sales Representative **ronludbrook**  
Contact No.





**KENWORTH MELBOURNE A030**  
355 Fitzgerald Road

**HEPBURN FOOTBALL CLUB**  
20TH STREET

Derrimut, Victoria Australia 3028  
Phone: 0393969100  
Fax: 0393969111  
Email: ron.ludbrook@paccar.com

HEPBURN SPRINGS, Victoria Australia 3461  
Phone: 53486611  
Fax: 1

## Vehicle Summary

	Unit		Chassis	
Model:		W900SAR	Fr Axle Load (kg):	6500
Type:		Prime Mover	Max Front Load (kg):	6500
Description:		New Pres 172342	Distance at Max Load (%):	100
	<b>Application</b>		Rr Axle Load (kg):	16500
Intended Serv.:		General Freight	Max Rear Load (kg):	16500
Commodity:		Variable General Products	Distance at Max Rear Load (%):	100
			G.C.M. (kg):	42500
	<b>Body</b>		Max G.C.M. Load (kg):	42500
Type:			Requested G.C.M. Load (kg):	90000
Length (mm):	0		Distance at Max G.C.M. Load (%):	100
Height (mm):	0		Wheelbase (mm):	5790
Body Weight (kg):	0		Overhang (mm):	1370
Body Width (mm):	0		Fr Axle to BOC (mm):	3,360
	<b>Trailer</b>		Cab to Axle (mm):	2,430
No. of Trailer Axles:			Cab to EOF (mm):	3,800
Type:		Flatbed	Overall Comb. Length (mm):	18896
Length (mm):	13720		Road Conditions:	
Height (mm):	4300		Class A (l'state hwy/Roads):	100
Kingpin Inset (mm):	1430		Class B (Well maintained):	0
Corner Radius (mm):	0		Class C (Poorly maintained):	0
Trailer Width (mm):	2500		Class D (Off-Road):	0
	<b>Restrictions</b>		Maximum Grade:	6
Length (mm):	19000		Length Max Grade (km):	1
Width (mm):	2500		Normal Grade (%):	6
Height (mm):	4300		Length Normal Grade (km):	3
			Annual Distance (km):	250000
			<b>Special Req.</b>	
			Australia Wide	



# LEGEND SAR

50TH ANNIVERSARY EDITION

**KENWORTH MELBOURNE A030**  
355 Fitzgerald Road

**HEPBURN FOOTBALL CLUB**  
20TH STREET

Derrimut, Victoria Australia 3028  
Phone: 0393969100  
Fax: 0393969111  
Email: ron.ludbrook@paccar.com

HEPBURN SPRINGS, Victoria Australia 3461  
Phone: 53486611  
Fax: 1

Data	Code	Description	Weight
<b>Model</b>			
00009001	S	<b>W900SAR</b> LEGEND III Limited Edition with heritage badging and individually numbered plaque. - Includes radiator, silicon radiator/heater hoses, front axle shock absorbers, PVC covered chassis wiring, grab handles for cab access & at rear of cab/sleeper, traditional extruded fuel tank steps, front tow hitch/hook, rear axle park brakes, colour coded polyester nylon cab & chassis airlines.	8,324
<b>Configuration</b>			
00010004	O	<b>Single steer + tandem drive (6 x 4)</b>	0
00100008	O	<b>General Freight</b>	0
00110022	O	<b>Variable General Products</b> (usually palletised)	0
00120008	O	<b>Flatbed</b>	0
00140008	O	<b>Prime Mover with semi-trailer.</b> Single trailer connected to truck via 5th wheel. Up to 19.0m overall length. (20.0m by permit/notice).	0
00150006	O	<b>Drum trailer brakes with ABS/EBSS on trailer</b>	0
00160001	O	<b>ADR compliant</b>	0
00901034	O	<b>Australia Wide</b>	0
00951003	O	<b>Australia</b>	0
00970100	O	<b>Speed Limiter - 100km/hr</b>	0
<b>Kits</b>			
11000007	S	<b>No fuel haul kit</b>	0
13000001	S	<b>Standard Service kit</b>	0
<b>Engine &amp; Equipment</b>			
21012555	O	<b>Cummins X15 Euro V 550hp / 1850lbft</b> 578hp @ 1800 rpm, 1850lbft torque @ 1200 rpm. 15.0 litre displacement. ADR80/03. Six cylinder in-line turbocharged air-to-air aftercooled, Aluminium flywheel housing. Fleetguard combination full flow & by-pass oil filters & integral oil cooler. Includes 2000rpm max, Cummins road speed limiter, KW spin on water filter.	0
21200006	S	<b>Cummins engine painted beige</b>	0



Data	Code	Description	Weight
21301620	O	<b>X15 Euro V engine warranty - 5 yr or 1,000,000km</b> or 15,000 hours or 500,000L fuel burn coverage	0
21500067	S	<b>EGP mtd in chassis, Dual side of cab exhaust</b> - In chassis EGP mounted RHS.	0
22000027	S	<b>Dual S.S. wrap around exhaust shield (no letters)</b> LEGEND style	0
22500139	O	<b>Dual curved chrome 7" tailpipe - max height</b>	17
23000020	S	<b>Chrome exhaust elbows - dual</b>	0
23500035	O	<b>Fuel Pro fuel filter/water separator</b> Cummins ISX/Signature Engine Family only.	0
24000040	S	<b>Cummins 8.8l/s (18.7cfm) compressor</b>	0
25000001	S	<b>12V starter with key switch</b>	0
25500007	S	<b>Dual 406mm cyclopacs/cowl mounted</b> (deep bowl)	0
25800017	S	<b>406mm S.S. air cleaner caps - dual</b> to suit 406mm Cyclopac air cleaners	0
26000011	O	<b>Chrome aircleaner bases (deep bowl) x 2</b> - 406mm	0
26200027	S	<b>170A non isolated alternator (X15)</b>	0
26500001	S	<b>12 volt cab/chassis electrics</b> (unless otherwise specified in Misc Air Equipment, trailer connections will also be 12V)	0
26500010	S	<b>Urea metering device</b> - required with SCR or SMA exhaust systems	0
27000075	S	<b>Cummins engine brake, dash mtd switches</b>	0
27500005	O	<b>Radiator mounted bug screen</b>	1
28500001	S	<b>Horton single speed fan clutch</b>	0
29000020	S	<b>Barry type rear engine mounts (GCM 110T &amp; less)</b>	0
<b>Transmission &amp; Clutch</b>			
31024310	O	<b>Eaton Fuller RTLO22918B transmission</b> 2250lbft torque, 18 speed overdrive.	0
32028117	O	<b>2250lbft Easy Pedal Advantage 3 - VCT+ clutch</b> (manual adjust)	0
34020002	O	<b>RPL25 main driveline &amp; 1 C/Bearing</b> (MERITOR Series)	67
34500100	O	<b>RPL20 interaxle driveline - tandem</b> (MERITOR Series)	14
35000001	O	<b>Extended grease line to clutch bearing</b>	2
35000002	O	<b>Extended grease line to clutch shaft</b>	4



Data	Code	Description	Weight
35000010	S	Transmission oil cooler	0
35000019	S	Heritage isolated gear shift lever with wooden knob, heritage Fuller logo and S.S. LEGEND surround	0
35000300	S	No transmission PTO	0
37000010	S	Transmission mounted breather	0

## Axles & Equipment

41026030	O	MERITOR MFS66-122 (6.6t capacity) (single steer) formerly known as FG941 Includes standard warranty: 24 Months/Unlimited kms (excluding wheel end equipment).	4
41226010	S	Meritor 16.5x5 LA(Q+) front drum brakes (single)	0
41500167	O	Front springs, 7.2t taper leaf (> 9" susp)	0
41800002	S	2 steel piloted front hubs & drums - 285 PCD (MFS66/E1462)	0
42000020	S	TRW Ross TAS 85 power steering	0
42500008	S	Automatic Slack Adjusters (single steer)	0
42900410	O	REAR AXLE RATIO-4.10	0
43026522	O	MERITOR MT21-165GP - RR diff lock (Vocational) 20.9t GAW (tandem - vocational applications). Includes Timken NP pinion bearing to front diff carrier and tight fitting crown wheel bolts to both diff carriers. Cross wheel diff lock applied to RR drive axle only. Includes standard warranty: GCM <=110T, 48 Months/800,000 kms (excluding wheel end equipment).	22
43226001	S	16.5" x 7" Meritor Q+ rear drum brakes (tandem)	0
43502241	O	AIRGLIDE 460 10.5", 20.9T GAWR (tandem) 2 steel pedestals, 10.5" ride height	56
43700100	S	Rear Axle spacing 1321mm NOTE - axles are located by suspension components which may move longitudinally with variances of vertical load or installation angles.	0
43800004	S	4 Aluminium piloted rear hubs & drums - 285PCD (R-series)	0
43900010	S	Interaxle diff lock	0
44000008	S	Automatic slack adjusters - tandem rear axle	0
44200002	O	Remote mounted diff breather(s)	5
44500006	O	Koni HD shock absorbers (AG only) - Tandem	3

## Tyres & Wheels

46050148	O	Bridgestone 295/80 R22.5 R154 - 2 steer	-3
46250040	S	Bridgestone 11R22.5 M766 - 310 RPK	0



Data	Code	Description	Weight
47000011	O	<b>Alcoa 9.00x22.5 285PCD - 2 steer</b> hub pilot (includes polished hub covers)	-30
47200113	O	<b>Alcoa ULTRA ONE 8.25x22.5 285PCD</b> hub pilot	-180
47500003	O	<b>2 Dura-Bright polished wheels - single steer</b> (only required with Alcoa steer wheels/rims)	0
47600022	O	<b>4 Dura-Bright Polished, 4 Clean Buff finishes</b> - rear (only required with Alcoa drive wheels/rims)	0
47700010	O	<b>Stainless Steel smooth hub covers</b>	0
<b>Frame &amp; Equipment</b>			
51000315	O	<b>273mm x 89mm x 9.5mm rails up to 7701mm</b> (0.0621kg/mm/pair of rails)	135
51500006	S	<b>Rear suspension insert</b>	0
52000006	S	<b>Tractor taper / Light duty crossmember</b>	0
53000020	S	<b>Texas Style FUPS Bumper polished</b>	0
54000015	S	<b>4 battery box LH under cab above round tank</b>	0
54140004	S	<b>Tool box RHS under cab above tank</b> (note:for a C509 sound attenuation shields are NOT included with this option)	0
54200040	S	<b>4 x 12V heavy duty Kenworth batteries</b>	0
54500011	O	<b>Cab power supply disconnect switch</b> - Not Fuel Haul Compliant	2
55000007	O	<b>Reversing squawker (BBS92 multi-frequency)</b>	1
56000210	O	<b>Truckmate Tandem rear mudguards-Stainless Steel</b>	28
56500015	S	<b>Black front mudflap</b>	0
56600015	S	<b>Black rear mudflap</b>	0
58000021	O	<b>100w (50mm evens) fifth wheel angles</b> GCM limited to 200T.	17
59042320	O	<b>Jost JSK 37 CZW-185/MP0118 (D-value 190kN)</b> Cast Steel 50mm `greaseless` fifth wheel with LubeTronic, 201mm overall height, large rubber mounting cushions on 16mm base plate	239
59100050	O	<b>5th Wheel setting Positive 50mm</b>	0
59500058	O	<b>Subframe for LEGEND with 1270mm sleeper box</b> - subframe with air ride suspension for 1360mm cabin with 1270mm modular sleeper	60
<b>Cab &amp; Equipment</b>			
61000465	O	<b>SAR LEGEND cab (1360mm) with modular sleeper</b>	0
61300042	S	<b>Traditional style hood for SAR LEGEND</b> with external mounted air cleaners	0
61500035	S	<b>Ox Blood cab trim, HD diamond pleat vinyl</b> (4444) with black hard trim as standard	0



Data	Code	Description	Weight
62000735	S	<b>ISRI 6860/870 PRO, driver seat, Black leather</b> air suspended with L & R arm rests and embroidering	0
62001335	S	<b>Black leather fixed rider seat</b> with no arm rests and embroidering	0
62300001	S	<b>Drivers black lap/sash seat belt</b>	0
62300051	S	<b>Riders black lap/sash seat belt</b>	0
62500080	S	<b>Provision for 2 CB style radios</b> (unless CB and/or UHF radio/s are factory fitted)	0
62500090	S	<b>FM/AM radio aerial - roof mounted</b>	0
62500116	O	<b>FM/AM radio &amp; CD, 4 speakers, 2 tweeters</b>	2
63000002	S	<b>Kenworth integral heater/airconditioner</b>	0
63300120	S	<b>Two piece flat windscreen</b> including chrome windscreen rubber key - laminated safety glass, 2 wipers	0
63500020	S	<b>Traditional door with air lift window to LHS</b>	0
63500025	S	<b>Traditional door with air lift window to RHS</b>	0
63500100	S	<b>Scuff plates with Legend logo &amp; black back plate</b>	0
63800015	S	<b>Dual round air horns mounted on cab roof</b> with Heritage KW bug decal	0
64000015	S	<b>Flat mirrors - heated with moto mirror LHS &amp; RHS</b> - mirror outline marker with amber cover	0
64100005	S	<b>Two wide vision 8.5" spotter mirrors</b> below main mirrors	0
64500010	O	<b>Power plug in driver's seat riser</b>	0
64500020	O	<b>Power plug in rider's seat base</b>	0
64500031	S	<b>Manual reset circuit breakers</b> on truck and trailer lighting circuits only, fuses used on other circuits	0
64500060	S	<b>Two spare switches in main switch panel</b> (where space permits)	0
64509900	U	<b>PLEASE LOCATE LH WINDOW SWITCH IN MAIN SWITCH PANEL</b>	0
64700001	S	<b>Cigarette lighter and ashtray</b> (Includes a 5V USB socket) (Note: The cigarette lighter will be replaced with a 12V power socket for C509, C510, T659 and T909 models offline from 25th March, 2022 per FYI 2723)	0
64800163	O	<b>LED headlights, LED Hi Beam, functional DRL</b> - integrated daytime running lights are functional in this option	2
65000320	S	<b>Utility spotlight x 2 (LHS &amp; RHS)</b>	0
65000520	S	<b>Door courtesy lights</b>	0
65000533	S	<b>LEGEND LED tail lights with SS bar and brackets</b>	0





Data	Code	Description	Weight
65200071	S	5 bullet style LED marker lights	0
65400210	S	Exterior sunvisor - stainless steel	0
65500140	S	Oil temperature gauge - engine	0
65500150	S	Oil temperature gauge - transmission	0
65500170	S	Oil temperature gauges (2) - tandem axles	0
65500190	S	SCR fluid gauge	0
65500231	S	80mm pyrometer	0
65500250	S	VDO analogue clock	0
65500261	S	Tachometer with integrated engine hourmeter	0
65500270	S	Turbo boost gauge	0
65500320	S	Air suspension pressure gauges (2)	0
65500330	S	Fuel filter restriction gauge	0
65500900	S	Engine coolant temperature gauge	0
65500910	S	Engine oil pressure gauge	0
65500990	S	Low transmission oil pressure warning light (with neutral interlock)	0
65501020	S	Limited edition gauges - chrome bezel, white face, Heritage KW bug	0
65600237	S	Cummins dash mounted cruise control switches	0
65700220	S	Adjustable steering column - 20" steering wheel 4 spoke with Heritage KW bug	0
65900020	S	20t hydraulic jack & wheelbrace	0
66000070	S	Integral two cup drink holder in dash	0
66000083	S	Rear wall trim with heat pressed Legend logo	0
66000539	S	Back of cab grab handles (non-painted)	0
66000570	S	Copper grill sensor, hood mounted	0
66000579	O	Seven hood grille bars - in lieu of three grille bars (Euro 5 compliant engines only)	2
66000710	S	Key lock entry	0
66000795	S	Black interior grab handles fitted to A-pillar	0
66200018	S	Dual hood hooks	0
67000014	O	1270mm Aero I sleeper box includes traditional door handles to toolbox doors	475
67500120	O	Right hand sleeper access door (830mm x 640mm) - N/A with 28", 600mm, 760mm or 860mm sleepers.	7
67500140	O	Flywire screens RH & LH sleeper doors	0
67700212	O	Roof mtd deflector, Aero I WITHOUT side extenders	22



Data	Code	Description	Weight
<b>Documentation, Telematics &amp; Training</b>			
68000001	S	<b>Kenworth driver's information pack</b> with driver's handbook	0
68000010	S	<b>Kenworth custom maintenance manual - USB drive</b>	0
<b>Air Equipment</b>			
71000012	S	<b>Semi trailer kit</b>	0
71200001	S	<b>PBR air line couplings</b>	0
71400002	O	<b>Semi trailer detachable coiled air lines</b>	0
71600100	O	<b>Semi trailer fixed light line - AS 4735 plug</b> straight light line	0
71800001	S	<b>Hosetenna right hand side - fixed</b>	0
72000010	S	<b>Manual air tank drain valves</b>	0
73000010	O	<b>Chicago Rawhide Turbo 2000 air dryer</b>	12
75000020	O	<b>Trailer release valve</b>	1
75500040	S	<b>ESP (Prime Mover)</b> - Electronic Stability Program	0
75500050	S	<b>Electronic Braking Safety System (ABS+ATC+DTC)</b> - EBSS is an Electronically controlled pneumatic braking system (standard features: Antilock Braking System + Automatic Traction Control + Drag Torque Control)	0
75600006	S	<b>Semi trailer ABS - socket only</b> - 12 Volt nominal, becomes 24 volt when (75500022) "24 Volt Inverter for Trailer Safety systems" is selected. This socket option can be used with Semi Trailer kit or Combined kit.	0
<b>Fuel Tanks &amp; Equip</b>			
80500001	S	<b>Aluminium</b> Note: each fuel tank specified is filled with 200L fuel when it leaves the KW factory. Tanks with a capacity less than 200L will be completely filled. Polished aluminium fuel tanks apply to all orders from the January 2015 price book onwards. Non-polished aluminium fuel tanks will be provided for all trucks ordered in price levels earlier than the January 2015 price book.	0
80600010	S	<b>Polished finish - Aluminium tanks only</b>	0
81019000	O	<b>NPO 625mm LHF fuel tank (Raise NPO)</b>	0
81099000	U	<b>350L 625MM DIA FUEL TANK LHF (RPL) UNPL</b> UMBED	0
81519000	O	<b>NPO 625mm RHF fuel tank (Raise NPO)</b>	0
81599000	U	<b>350L 625MM DIA FUEL TANK RHF (RPL) UNPL</b> UMBED	0
82000220	O	<b>300L 625mm dia fuel tank LHR (add)</b>	68
83000230	O	<b>350L 625mm dia fuel tank LHRR (add)</b>	71



Data	Code	Description	Weight
83500230	O	350L 625mm dia fuel tank RHRR (add)	71
84002300	O	Location code for 300L LHR	0
84004350	O	Location code for 350L LHRR	0
84005350	O	Location code for 350L RHRR	0
84400064	O	300L 625mm diam AdBlue tank RHR (stainless steel) for X15 (100L AdBlue supplied at factory)	31
88000020	S	Single fuel pickup & return with fuel cooler	0
<b>Paint</b>			
91000000	S	Paint cab stock Ice White (419KEA.KMV2)	0
92000001	O	Paint sleeper box 1 colour	0
92500002	O	Chassis painted 1 colour	0
97000000	O	<b>PAINT COLOR NUMBER</b> N97020 COLOUR A 419KEA.KMV2 ICE WHITE RIO N97600 AIR SHIELD 419KEA.KMV2 ICE WHITE RIO N97370 AIR CLEANER 419KEA.KMV2 ICE WHITE RIO N97350 CHASSIS 419KEA.CPL3 BRIGHT RED	0
<b>Miscellaneous</b>			
99999999	U	2022 SURCHARGE	0
Total Weight			9552kg